U.S. Serial No. 10/636,100 Filed: August 7, 2003 Response to Second Office Action Page 2 of 7

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of the claims

- 1. (currently amended) A cabinet scraper, comprising a body having comprising
- (a) two integrally formed handles,
- (b) a planar sole for contact with a workpiece, and
- (c) a blade contact surface for contact with a cabinet scraper blade having two opposed ends, each adapted for contact with a workpiece, one of which ends contacts a the workpiece during use of the cabinet scraper,

the <u>blade</u> contact surface including a recessed portion, wherein at least a portion of the body extends beyond the <u>other end of the blade so as to protect a user from injury on the other end and to protect the other end from damage by the blade contact surface end of the blade opposite the workpiece contacting blade end.</u>

- 2. (original) The cabinet scraper of claim 1, further comprising a clamp bar having a second contact surface for contact with the blade.
- 3. (original) The cabinet scraper of claim 2, further comprising means for securing the clamp bar to the body.

U.S. Serial No. 10/636,100 Filed: August 7, 2003 Response to Second Office Action Page 3 of 7

- 4. (original) The cabinet scraper of claim 2, further comprising screws for securing the clamp bar to the body.
- 5. (original) The cabinet scraper of claim 2, wherein the clamp bar further comprises a chamfer.
- 6. (original) The cabinet scraper of claim 5, wherein the chamfer extends between apertures on each end of the clamp bar and does not extend the entire length of the clamp bar.
- 7. (original) The cabinet scraper of claim 1, further comprising an adjustment screw for adjusting scraping action.
- 8. (original) The cabinet scraper of claim 1, further comprising an adjustment screw for adjusting the camber of the blade.
- 9. (currently amended) A cabinet scraper comprising:
 - (a) a body;
- (b) a cabinet scraper blade comprising two opposed ends, each adapted for contact with a workpiece, one of which ends contacts the workpiece during use of the cabinet scraper, and

U.S. Serial No. 10/636,100 Filed: August 7, 2003 Response to Second Office Action Page 4 of 7

- (c) a clamp bar for securing the blade to the body, the clamp bar comprising a chamfer; and
 - (d) a planar sole for contact with the workpiece.
- 10. (original) The cabinet scraper of claim 9, further comprising means for securing the clamp bar to the body.
- 11. (original) The cabinet scraper of claim 9, further comprising screws for securing the clamp bar to the body.
- 12. (original) The cabinet scraper of claim 9, wherein the chamfer extends between apertures on each end of the clamp bar and does not extend the entire length of the clamp bar.
- 13. (original) The cabinet scraper of claim 9, wherein the body further comprises a projection having a blade contact surface and a recessed portion that does not contact the blade and wherein at least a portion of the projection extends beyond the length of the blade.
- 14. (currently amended) A cabinet scraper, comprising:
- (a) a cabinet scraper blade having two ends, one of which ends contacts a workpiece during use of the cabinet scraper;
 - (b) a body comprising:

U.S. Scrial No. 10/636,100 Filed: August 7, 2003 Response to Second Office Action Page 5 of 7

- (1) two integrally formed handles, and
- (2) a projection including a first contact surface for contact with the blade and a recessed portion that does not contact the blade, wherein at least a portion of the projection extends beyond the end of the blade opposite the workpiece-contacting blade end; and
- (c) a clamp bar comprising a second contact surface for contact with the blade and a chamfer, and
 - (d) a planar sole for contact with the workpiece.